

	Type	Hits	Search Text	DBs
1	BRS	0	"09489072"	USPAT
2	BRS	1	"4295193".PN.	USPAT
3	BRS	1	"4437149".PN.	USPAT
4	BRS	1	"4943908".PN.	USPAT
5	BRS	1	"4991080".PN.	USPAT
6	BRS	1	"5072364".PN.	USPAT
7	BRS	1	"5163140".pn.	USPAT
8	BRS	57	"5163140".URPN.	USPAT
9	BRS	1	"5230068".pn.	USPAT
10	BRS	1	"5446850".pn.	USPAT
11	BRS	1	"5604877".pn.	USPAT
12	BRS	1	"5867701".pn.	USPAT
13	BRS	1	"6317820".pn.	USPAT
14	BRS	0	"9489072"	USPAT
15	BRS	140	\$2valid\$3 adj opcode	USPAT
16	BRS	95	(\$2valid\$3 adj opcode) and branch	USPAT
17	BRS	43	(\$2valid\$3 adj opcode) and branch adj prediction	USPAT
18	BRS	44	(\$2valid\$3 adj opcode) and branch and prediction	USPAT
19	BRS	8	((look-up or access or predict) near2 (every or all or each) near2 address) and (target adj address)	USPAT
20	BRS	3506	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3)	USPAT
21	BRS	59	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address)	USPAT
22	BRS	36	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address) and ((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT

	Type	Hits	Search Text	DBs
23	BRS	76	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) with (target adj address)	USPAT
24	BRS	18	(712/237 712/233 712/239).ccls. and speculat\$3 with (stack buffer) with return	USPAT
25	BRS	4	(austin.in. or parks.in.) and BTAC	US-PGPUB; USPAT
26	BRS	1	(branch near2 (buffer or cache)) with ((every or all) adj instruction)	USPAT
27	BRS	0	(branch near2 (buffer or cache))adj all	USPAT
28	BRS	2	(branch near2 (buffer or cache))adj every	USPAT
29	BRS	0	(branch near2 (buffer or cache))near2 all	USPAT
30	BRS	3	(branch near4 (buffer or cache)) with ((every or all) adj instruction)	USPAT
31	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
32	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
33	BRS	11	(invalid\$3 adj opcode) and branch adj prediction	USPAT
34	BRS	0	(look-up near2 (every or all or each) near2 address) and (target adj address)	USPAT
35	BRS	0	(look-up near2 every near2 address) and (target adj address)	USPAT

	Type	Hits	Search Text	DBs
36	BRS	6	(opcode adj address) and (branch near2 (mispredict\$5 or erroneou\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	4	(opcode adj address) and (branch near2 (misprediction or erroneou\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	25	(opcode adj address) and (branch near2 misprediction or erroneou\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	64	(opcode adj address) and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	118	(opcode) near2 location	US-PGPUB; USPAT
41	BRS	124	(opcode) near2 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	285	712/208.ccls.	USPAT
43	BRS	1146	712/208-211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	1692	712/233-244.ccls.	USPAT

	Type	Hits	Search Text	DBs
45	BRS	2439	712/233-244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	110	712/235.ccls.	USPAT
47	BRS	101	712/235.ccls. and branch	USPAT
48	BRS	75	712/235.ccls. and branch and target	USPAT
49	BRS	69	712/235.ccls. and branch and target and (cache or buffer)	USPAT
50	BRS	0	712/240.ccls	USPAT
51	BRS	211	712/240.ccls.	USPAT
52	BRS	23	712/240.ccls. and (address adj (subset or portion))	USPAT
53	BRS	2	712/240.ccls. and BTAC	USPAT
54	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
55	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
56	BRS	0	always adj calculat\$3 near2 (target adj address)	USPAT
57	BRS	0	always adj predict near2 (target adj address)	USPAT
58	BRS	0	austin.in. and parks.in.	US-PGPUB; USPAT
59	BRS	9121	austin.in. or parks.in.	US-PGPUB; USPAT
60	BRS	7236	austin.in. or parks.in. and BTAC	US-PGPUB; USPAT
61	BRS	1416	branch near2 (buffer or cache)	USPAT
62	BRS	10	decod\$3 adj after adj branch\$3	USPAT
63	BRS	0	decod\$3 adj after adj speculation	USPAT

	Type	Hits	Search Text	DBs
64	BRS	0	EACH ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
65	BRS	552	emma.in.	USPAT
66	BRS	29	emma.in. and branch	USPAT
67	BRS	16	emma.in. and branch and target	USPAT
68	BRS	7	emma.in. and branch.ti.	USPAT
69	BRS	259	EVERY ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
70	BRS	2	EVERY ADJ INSTRUCTION WITH(TARGET ADJ ADDRESS)	USPAT
71	BRS	20	instruction near2 length near2 compar\$3	USPAT
72	BRS	54443 6	integrat\$3 (instruction adj cache) with (BTAC or (branch adj target adj address cache))	USPAT
73	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address adj cache)))	USPAT
74	BRS	174	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address cache)))	USPAT
75	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address)))	USPAT
76	BRS	10	meonske	USPAT
77	BRS	22	meonske	USPAT
78	BRS	278	non-branch	USPAT
79	BRS	247	non-branch and fetch\$3	USPAT
80	BRS	225	non-branch and fetch\$3 and decod\$3	USPAT
81	BRS	212	opcode adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
82	BRS	22	opcode adj location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	91	Popescu.in.	USPAT
84	BRS	0	Popescu.in. and val.in.	USPAT
85	BRS	3	speculative adj branch adj target adj address	USPAT
86	BRS	0	speculative adj branch adj target adj address adj (buffer or cache)	USPAT
87	BRS	334	speculative and (branch adj target near2 (cache or buffer))	USPAT
88	BRS	739	speculative and (branch near2 target and (cache or buffer))	USPAT
89	BRS	21	speculative and branch adj target adj address adj (buffer or cache)	USPAT
90	BRS	1063	speculative and branch and target and (cache or buffer)	USPAT
91	BRS	92	speculative with (target adj address)	USPAT